



## ANTI-LIVER ANTIBODIES PROFILE

**Synonym(s):** Liver Antibodies Profile, Anti LKM, LKM Antibody, Anti Liver Kidney Microsomes, Anti Mitochondrial, AMA, Anti M2, M2, Anti Soluble Liver Antigen, Anti SLA, SLA, Anti LC-1, LC-1, Anti Liver Cytosol Antigen

[Back To Previous Page \(javascript: history.go\(-1\)\)](#)

<b>Lab Section Category</b>	<b>Immunology/Serology/STD/Allergy - Immunology</b> Click here to find out more about the <b>write-up</b> ( <a href="/clinical-departments-centers/pathology/pathology-handbook/lab-discipline-special-instructions/pages/immunologyserologystdallergy.aspx">/clinical-departments-centers/pathology/pathology-handbook/lab-discipline-special-instructions/pages/immunologyserologystdallergy.aspx</a> ).
<b>Specimen Required</b>	3 mL plain blood
<b>Method</b>	Immuno Blot
<b>Test Result</b>	Reported as numerical readings of signal intensity with interpretations for the auto-antibodies to: – M2 (pyruvate-dehydrogenase complex) – LKM-1 (cytochrome P450 II D6) – LC-1 (formiminotransferase-cyclodeaminase) – SLA/LP (soluble liver antigen/liver-pancreas antigen)
<b>Turnaround Time</b>	Range 2 – 4 days
<b>Day(s) Test Set up</b>	Monday to Friday

[Back To Previous Page \(javascript: history.go\(-1\)\)](#)

### Change History Notes

- **13 Apr 2018 11:49 AM**  
Method has been updated w.e.f. 19 January 2018