



## CITRIC ACID, URINE

### Synonym(s):

[Back To Previous Page \(javascript: history.go\(-1\)\)](#)

<b>Lab Section Category</b>	<b>Clinical Biochemistry</b> Click here to find out more about the <b>write-up</b> ( <a href="/clinical-departments-centers/pathology/pathology-handbook/lab-discipline-special-instructions/pages/clinical-biochemistry.aspx">/clinical-departments-centers/pathology/pathology-handbook/lab-discipline-special-instructions/pages/clinical-biochemistry.aspx</a> ).
<b>Specimen Required</b>	24 hr urine in 15 mL 50% HCl or collect without preservative with refrigeration during collection.  Minimum aliquot volume: 30 mL urine
<b>Method</b>	Spectrophotometry
<b>Reference Interval/Value</b>	>12 yrs : 1.10 - 5.52 mmol/day
<b>Turnaround Time</b>	Mean = 3 days, Range: 2 - 4 days
<b>Day(s) Test Set up</b>	Monday – Friday
<b>Remarks</b>	Total 24-hour urine volume must be clearly indicated.

[Back To Previous Page \(javascript: history.go\(-1\)\)](#)

©Copyright 2018 Singapore General Hospital, Outram Road, Singapore 169608

