



	Make/Change Appointment		Pay Online
--	---	--	----------------------------

ITRACONAZOLES, SERUM

Synonym(s):

[Back To Previous Page \(javascript: history.go\(-1\)\)](#)

Lab Section Category	Clinical Biochemistry Click here to find out more about the write-up (/clinical-departments-centers/pathology/pathology-handbook/lab-discipline-special-instructions/pages/clinical-biochemistry.aspx).
Specimen Required	3 mL plain blood in red top tube (no gel)
Method	High Performance Liquid Chromatography
Reference Interval/Value	Therapeutic Range: Suggested total trough level (Itraconazole + Hydroxy-Itraconazole): > 1.5 mg/L (Clin Infect Dis 2016; 63: e1 - 60)
Turnaround Time	Mean = 3 days, Range: 2 - 5 days
Day(s) Test Set up	Tuesday and Friday
Remarks	Measured Parameters: Itraconazole, Hydroxy-Itraconazole Reported Parameters: Itraconazole, Hydroxy-Itraconazole, Total Itraconazole Total Itraconazole is calculated from the sum of Itraconazole and Hydroxy-Itraconazole.

[Back To Previous Page \(javascript: history.go\(-1\)\)](#)

Change History Notes



- **27 Aug 2018 12:48 PM**
New test available w.e.f 27 Aug 2018

©Copyright 2018 Singapore General Hospital, Outram Road, Singapore 169608

